

UNIDOS The incredible new DOS from Steve Warr for the PLUS D and DISCIPLE, Random files. Sub directories. Hundreds of files on one disk. Hidden files. Protected files. Copy any file of any length without reseting. Openfiles on both drives at the same time. Read&write the same file via different channels at the same time. Redirect stream 3 to disk. Incredibly versatile screen dump routines will print any part of the screen any size you want. Error trapping that works. Be able to add new functions and commands. Many more features. Special introductory offer £5.00 off if your order is postmarked before March 1. State if PLUS D or DISCIPLE and disk size required when ordering,

Disc Backup Utility An easy to use program that will copy any type of file and of any size. Allows file names to be changed during copy and wild characters in both source and destination file names. Also has archive features and automatic overwrite of duplicate files. Worth buying just to copy your snapshots! Cassette for both DISCIPLE & PLUS D

File CONVERTER Many programs on the DISCIPLE & PLUS D create MD Files. (eg OCP assembler) File converter will change them into ordinary files (and back again if you wish) to allow your own programs to access them. Cassette for both DISCIPLE & PLUS D

Hackers Workbench still the most versatile snapshot hacker available for the experienced programmer. Cassette for both DISCIPLE & PLUS D. Incremental Backup Utility. Now completly re-written. Make exact copies of your disks with IBU. Only the files that have been added or changed will be copied. Cassette for both DISCIPLE & PLUS D

SAMIBU. Copy a full 780K disk with only 4 disk swaps on a 512K SAM. And even more amazing for the same price as IBU but supplied on 3.5" disk.

SPECMAKER A realy useful Spectrum emulator for your SAM. All the extra SAM keys work in Spectrum mode. Automatically uses SAMs printer port and allows up to 360K of Spectrum programs to be held in SAM memory as a RAM DISK. Programs do NOT have to be changed to make use of the RAMDISK, SPECMAKER does it for you by changing the Spectrum ROM code. Can use Spectrum, microdrive or PLUS D SAVE/LOAD syntax. Many programs that only use cassette are now far more useful as they will work with RAMDISK. PLUS D disks can be loaded into the RAMDISK and saved to SAM disk. Includes the ADUTIL utility to allow peek and poke of any file in the RAMDISK. Supplied on 3.5" disk

Now available version 2.8 Many of the requested features have been added such as loading from drive 2, Returning to Spectrum mode without clearing the RAMDISK etc. V2.8 Can even read dual density OPUS disks on your SAM. As a limited special offer to existing users. Return your original Specmaker disk and I will send you a version 2.8 upgrade package for only £5.00 inc postage.

SPECMAKER is constantly being improved and is the simplest Spectrum emulator for SAM. 1000s of programs work without the need for any conversion. Most other programs need only minor changes.

1	PRICES	INDUG MEMBERS	NON MEMBERS
S D Software.	UNIDOS	£19.95	£25.95
70 Rainhall Road,	SPECMAKER	£ 9,95	£12.95
Barnoldswick,	IBU/SAMIBU	£ 3.50	£ 4.90
Lancashire,	DBU	£ 4.00	£ 5.50
England.	FILE CONVERTOR	£ 4.50	£ 5.30
888 6AB.	HACKERS WORKBENCH	1 8.50	£ 9.90
	POSTAGE £0.50	DO NOT FORGET YOUR INDUG	
	(£1.20 OUTSIDE UK)	MEMBERSHIP NUMBER	

CONTENTS

Vol.4 No.6.

February 1991.

News On 44
The Editor Speaks5
Short Spot7
UNI-DOS A First Review11
Money Manager - Part 515
Nev's Help Page19
MASTERDOS - SAM's New DOS21
Your Letters
PLAY-128
FORMAT Readers Service29
Inside Christmas Carols31

THIS MONTHS ADVERTISERS:-

ALL FORMATS SHOW	6
ASTRO-TECH	14
BETTERBYTES	Back Cover
B.G.SERVICES	18
CHEZRON SOFTWARE	18
FORMAT (S.P.I.)	14
LERM	30
LEO SOFTWARE	20
PBT ELECTRONICS	14
S.D.SOFTWARE	2
STEVE'S SOFTWARE	35
TEACHERS PET SOFTWARE	28

(C)Copyright 1991 FORMAT PUBLICATIONS. All Rights Reserved.

No part of this publication may be reproduced, in any form, without the written consent of the publisher. FORMAT readers may copy program material only for their own personal use. While every effort is made to ensure accuracy in FORMAT the publisher will not be held liable for any errors or omissions.

Published by FORMAT PUBLICATIONS. 34 Bourton Road, Gloucester, GL4 OLE, England. Telephone 0452-412572.

Printing by D.S.LITHO. Gloucester. Telephone 0452-23198.



SAD LOSS TO THE ZX WORLD

News reached us just a little too late for the January issue that Mike Johnston - mastermind of the famous ZX Microfairs - has died. Mike, who was 47, suffered a heart attack on Monday 17th December.

During the early and mid 80s Mike was one of the most widely known people in the home computer industry. At their height his shows were among the biggest in the land. The ZX Microfairs attracted Sinclair enthusiasts from all over the world and Mike was always in personal attendance wondering round his shows to see all was going well.

Our deepest sympathies go to Mike's family, he will be sadly missed.

DISCOVERY DISCS ON SAM

S.D.Software have just announced a new version of their highly successful SPECMAKER program for the SAM Coupe.

The new version, 2.8, contains many extra features including the ability to load files from 720k Opus Discovery discs. Most Discovery users who have moved in SAM's direction have had to suffer the hassles of tape transfer to their Coupé. Now SPECMAKER will do much of the work for them.

For more details see S.D.Software's advert in this issue.

EXTENDED GUARANTEE FOR SAM

P.B.T. Electronics are currently mailing SAM owners with details of their new extended guarantee insurance service. As early Coupés are now out of their original guarantee many will want to obtain cover against faults and obtain the peace of mind the the new scheme gives.

Full parts and labour cover is given for just £17.95 for a tape based SAM or £23.95 for a SAM Coupé with single drive. Rates are also available for extra drives and all the interfaces that go with SAM.

PBT are using the MGT mailing list which, for many reasons, does not contain every owner. If you are interested in the insurance scheme and you don't get a letter from PBT then send them a stamped addressed envelope (9"x3") and they will send you all the details.

MUSICAL EDITIONS

Two new editions of the Music Writer program for the 128K Spectrums have just been released.

The **Reference Edition** is really just the old program but with the Utility pack now included at an all-in-one price of £25.

The Muso's Edition is identical but drops the detailed manual in favour of an A5 Icon glossary. It's intended for those who are already familiar with music notation/terminology. Replacing the manual with the abridged booklet allows the program to sell for just £15. You can still purchase the full manual later if you find you don't know as much about music as you think.


Both versions are available from Garry Rowland, P.O.Box 49, Dagenham, RM9 5NY. Add £2 p&p per order.

SAM GOES OVERSEAS

SAMCO seem to be doing very well overseas at the moment. In Poland, France and Czechoslovakia companies are all showing great interest in the Coupé and the is a growing chance that SAM may be manufactured behind the old Iron Curtain for local sales.

Alan Miles, who is heading the sales drive, has always put great store in overseas sales and is also looking at potential markets in southern Europe.

<u>URGENT</u> we need your news. New Releases, Club meets, Shows, anything you think other people should know about. If you have any news items you want to pass on then send them in. Please mark the envelope <u>NEWS</u> in the top corner.



Lots to get through this month so straight down to business. Staff problems here continue causé to headaches but I'm glad to say interviews are now going ahead very well so by the end of February everything should be back to normal.

The demand for the FORMAT binders has far exceeded my expectations, the first batch were sold out before they even arrived here. A new (and larger) batch has been ordered and as soon as they come in we will dispatch them. Provided you only ordered binders then your cheque will not have been cashed unless you were one of the lucky ones who got in quick.

On the subject of orders, there still seems to be many people ordering from the FORMAT Readers Services page who forget to add the postage. If we can adjust the order (by dropping an item or two) then this is what we normally do, but it causes extra work which could so easily be avoided. The only time we include postage is in the advert for the Sam Parallel Interface. For UK members this is post free along with the printer cable if ordered at the SAME TIME. If you just order the cable you must order from the FRS page and include the postage.

While talking about postage I would like to point out to members that all orders are dispatched with the next available issue of FORMAT (with the exception of the SPI). Remember to allow about ten days for your order to reach us and to be processed. If you receive your usual copy of FORMAT then it shows that your order did not arrive in time. If however nothing turns up then UK members should contact the office, by phone between 10am and 4pm, so we can check the computer for you. If we find that the order was sent out OK you will be given guidance on how to pursue the matter with the Royal Mail. Overseas readers should write to us, enclosing a copy of their order.

And finally. This months issue contains reviews of the two new DOS systems that have just been launched. MasterDos for the SAM Coupé is what the machine has really been waiting for - a powerful DOS that can help to exploit the machines potential. Uni-Dos for the DISCIPLE and PLUS D will also prove a real eye-opener for Spectrum users and finally unites both interfaces with one DOS. Many people have already phoned me to ask 'should I upgrade?' Normally I don't like advising people on software because, like someones choice of car; many things are not clear-cut.

However in this case I do have a very firm view. If you own a disc based SAM then MasterDos is a MUST. Beg, borrow or even earn the money to get your copy - without it you will never be able to exploit your SAM to the full. When it comes to Uni-Dos things aren't quite so easy because, for a while at least, there may be some incompatability problems with commercial software. Most software will work OK but there are bound to be some items that cause problems just as there were when the disc systems were launched in the first place. Having said that, Uni-Dos is a major advance and I would recommend any serious user to order their copy soon, the extra power is well worth the effort.

Until next time.

Bob Brenchley. Editor.

ALL FORMATS COMPUTER FAIRS

Thousands of bargains! Computers, printers, business software, games, monitors, public domain, shareware, keyboards, media, disk drives, user groups, memory, joysticks, modems, books, magazines and lots more. Huge savings for all computer users.

Saturday 2nd February 1991 Saturday 23rd March 1991

At: The New Hall of the Royal Horticultural Society Greycoat & Elverton Street Westminster London

Admission: £3.00

Tickets:

Avoid queuing advance tickets from: Mike Hayes 8 Midgrove · Delph Oldham · OL3 5EJ Tel: 0457 875229 £3.00 each (Cheque - Visa - Access) All formats COMPUTER FAIR

Tubes: Victoria · Pimlico St James Park

STANDS ONLY £75

> Book With: JOHN RIDING 0225 868100 MIKE HAYES 0457 875229



By:~ John Wase.

My apologies for my absence last that a mixture month: whilst everyone was in the runup to Christmas, my family had a series of catastrophies which included me, flat on the floor, dosed up with vallium and endomorphines, and taking absolutely no interest in the rest of the shambles: the pain was, as they say, exquisite. My poor wife flung everything into the computer room just extra term (X<O) is to shift printed half an hour before the relatives came negative numbers one more space to the to stay (my back still wasn't right and could barely sit down, even for a whilst still keeping their decimal meal) and shut the door. I'm still points aligned with those of the meal) and shut the door. I'm still trying to sort out the chaos - my apologies to anyone who's written in recently.

Shirt - Se

It's rather interesting: once someone's set the ball rolling, often I get a number of bits and pieces coming back. Take the "Print Using" business, for example. This one runs and runs, though it does look as fails if trailing zeros are needed, as though in some cases we're converging in 1.095 rounded to two on the same general solution. For instance, Brian Cavers (of Chezron/ Outlet) tried to simplify A.S.Hughes' "Print Using" (in the December 90 issue) to avoid the extra test for zero and came up with:-

PRINT TAB 10- LEN STRS INT X;X

For Sam. Hang about a bit, the Speccy precedes values between .1 and .999 with a zero, but not below .1, so the Spectrum line is modified to:-

PRINT TAB 10- LEN STR\$ INT X+(X<.1);X

And all is well. Ron would be interested if anyone can devise a PRINT statement, since you will often method that doesn't even need the <.1 adjustment.

Geof Smith of Fleet, Hampshire, has also had a look at Mr. Hughes' routine and noticed that it breaks down for negative numbers. Geoff points out these "PRINT USING" routines.

positive of and be negative numbers can easily accommodated by altering line 100 to..

100 PRINT "eight spaces" (1 TO 6- INT (LN(ABS X)/LN 10)*((ABS X)>1)+((ABS X)<(1) - (X < 0));X

Geoff explains that the purpose of the left to allow for the minus sign positive numbers. The blank string is increased by one space to allow for the minus signs.

different In contrast, in а approach, Ettrick Thomson of Aldeburgh, Suffolk, mentions that in the far-from-easy programming problem, Ray Bray's elegant SAM PROC (Oct '90) decimal places, which should give 1.10; Howard Griffith's routine copes with them. Neither approach copes with negative numbers - not always needed, but it's better if they can be handled.

Here is a SAM PROC (with a test program) and a Spectrum equivalent. In both, a number too big will lead to the routine trying to add a negative number of leading spaces and hence to an error stop. This could easily be detected, of course, but the resultant would depend on the action application.

Note the semicolon after n\$ in the want to, print more than one number on the same line. SAM and Spectrum differ slightly in printing pure fractions: "0.05", SAM prints, for example whereas the Spectrum gives you ".05". This difference is still there in

5 REM ***** SAMUSING ******** 6 REM * Ettrick Thomson 1990 * 10 INPUT #2;q, 20 prtusg q,2,7 30 PRINT 40 GOTO 10 100 DEF PROC prtusg n.dp,lgth 110 LOCAL n\$,p,q 120 LET n\$=STR\$ (n+SGN n*5/101(dp+1)) RS),p=INSTR(n\$,".") 130 IF p=0 THEN : LET n\$=n\$+".",p=LE N nŞ 140 LET q=p+dp-LEN n\$ 150 IF q>0 THEN : LET nS=nS+STRINGS(q,"0") 160 LET n = n (TO p+dp-(dp=0)) 170 PRINT STRING\$(1gth-LEN n\$," ");n \$; 180 END PROC 5 REM ****** SPECUSING ****** 6 REM * Ettrick Thomson 1990 * 10 INPUT n: PRINT n, 20 LET dp=2: LET lqth=7 30 GOSUB 100: PRINT 40 GOTO 10 100 LET n\$=STR\$ (n+SGN n*5/10^(dp+1)) 110 FOR p=1 TO LEN nS; IF nS(p) <>"." THEN NEXT p 120 IF p=LEN n\$+1 THEN LET n\$=n\$+"." 130 LET q=p+dp-LEN n\$ 140 IF g>0 THEN : LET nS=nS+"00000000 "(TO q) 150 LET n = n (TO p+dp-(dp=0)) 160 PRINT " "(TO lgth-LEN n\$) ;n\$; 170 RETURN

Are these definitive solutions to the problem? I doubt it.

Sorry, all you Spectrum owners, but here's another little program for SAM. It's called the Bigletters program, and Dave Wood of Cleethorpes wrote it to use in a program to teach his son the alphabet when he realised that CSIZE would go only up to 16 pixels. Okay, you Spectrum lot; you have the last laugh if you've got Andy Wright's Beta Basic program (and I bet quite a lot of you have): Beta Basic's CSIZE goes up to the size of a whole screen or more for just one letter. Here's Dave Wood's routine to help SAM owners out, then....

- 10 REM **** Bigletters by Dave *****
- 20 REM **** For the SAM Coupé ******
- 30 MODE 4: CLS #: CSIZE 6,8
- 40 PRINT PEN RND*6+1; AT 0,9;"BIG LE TTERS BY"
- 50 PLOT PEN 9;70,167: DRAW PEN 9;115 ,0
- 60 REM **A\$=MESSAGE UP TO 4 CHARACTE S
- 70 LET A\$="DAVE"
- 80 REM S=PRINT LINE
- 90 LET S=3
- 100 GOSUB 160
- 110 LET S=11
- 120 LET AS="WOOD"
- 130 GOSUB 160
- 140 PALETTE 9, RND*127: BEEP .01, RND* 30: PAUSE 1: GOTO 140
- 150 REM SUBROUTINE FOR LARGE CHARS.
- 160 PRINT PEN 8; AT 21,0;AS
- 170 FOR Z=7 TO 0 STEP-1
- 180 LET S=S+1
- 190 FOR X=0 TO 31
- 200 IF POINT (X,Z)=8 THEN PRINT AT S, X-1" PEN 9 " "
- 210 NEXT X
- 220 NEXT Z
- 230 PRINT AT 21,0;" " :REM 4 SPACES
- 240 RETURN

Carol Brooksbank has written to me. Although she does a lot of graphics work, and her ribbon consumption is therefore high, she's worried by my description of re-inking, and fears the consequences of several hundred feet of inky ribbon let loose on the world. Well, Carol, I did write this from the point of view of a complete naffhead as far as inking's concerned - I guess, like me, you have several ribbons tucked on the shelf: well I wait until I have a number used, then re-ink them all in one go - believe me it's not that difficult. Anyway, for the faint-hearted, Carol recommends Aladdink of 4 Hurkur Crescent, Eyemouth, Berwickshire. They re-ink an FX80 ribbon for £1.90 much darker and longer lasting than when it was new. Moreover, when Carol broke one recently, they changed the ribbon in the existing cartridge - and they'll reink coloured ones, too.

Now, back to the Spectrum. L. G. Baumann of Cowies Hill, South Africa, has written again, (bless him) with a

real shortie; the sort of thing I'm his first program generates a fractal looking for all the time. If you're with an infinite number of triangles. to be able to add something like this Mattias, to your program...

10 REM ** New Bingo Program** 20 LET d=23: LET a\$="abcde"

- 0 REM **********************
- 0 REM BY your name
- 0 REM *******************

30 PRINT "To play this game..." etc.

It's also nice that the writer's credit is given some protection, since you cannot bring the zero line numbers editing area until the into the original line numbers are restored.

The three credit lines must be the third, fourth and fifth lines in the program and must initially be numbered 21, 22 and 23. Then run line 9999 of the program to insert the zeros or line 9998 to reinstate the original line numbers. A nice effect can be achieved by adding a few spaces at the end of lines 20 and 23 to print the two empty lines as shown in the example. Note that line 9999 is the same as 9998, except that the numbers 21, 22 and 23 are changed to zeroes.

9998 LET z=1+PEEK 23635+256*PEEK 23636 : LET z=4+z+PEEK (z+1): LET z=4+z+PEEK (z+1): POKE (z-1),0: POKE z,21: LET z =4+z+PEEK (z+1): POKE (z-1),0: POKE z, 22: LET z=4+z+PEEK (z+1): POKE (z-1),0 : POKE z,23: LET z=4+z+PEEK (z+1): STO P: REM to reinstate lines

9999 LET z=1+PEEK 23635+256*PEEK 23636 : LET z=4+z+PEEK (z+1): LET z=4+z+PEEK(z+1): POKE (z-1),0: POKE z,0: LET z= 4+z+PEEK (z+1): POKE (z-1),0: POKE z,0 : LET z=4+z+PEEK (z+1): POKE (z-1),0: POKE z, 0: LET z=4+z+PEEK (z+1): STOP: REM to zero lines

Great! Many thanks Mr Baumann.

Now a couple of short programs by Mattias Danielson of Sweden, who also appeals for contacts - his address is in the second listing. Mattias claims

programming in Basic, It's rather nice I'm not so sure it is a fractal it's a nice little but program, and though it's written for SAM is easily adaptable for the Spectrum. Here's the listing ...

- 1 REM **************
- Fractally 2 REM * ×
- 3 REM *M.Danielson 901102* 4 REM *****************
- 10 MODE 4: LIST FORMAT 2
- 20 LET x=0,y=0,yos=-18: DO
- 30 ON INT (RND*3)+1: LET x=64+x/2,y =95+y/2: LET x=x/2, y=y/2: LET x=127 + x/2, y = y/2
- 32 LET p=RND*6+1: IF p<POINT(x,y) T HEN LET p=POINT(x, y)+(1 AND POINT(x,y) < 7
- 40 PLOT PEN p;x,y
- 50 LOOP

Mattias calls his second program (which is also for SAM) a "kind of vector graphix program: a flicker-free rolling three-sided pyramid". Actually, I don't find it particularly flicker-free, and not very quick either (possibly because it doesn't use BLITZ). But it's a good start. I'm sure that it would work better with some improvements from out there... How about it, folks? Programming in Basic; not more than 10% longer than Mattias' version...

Here is his version:-

- 1 SCREEN 1: MODE 4: CLOSE SCREEN 2 : OPEN SCREEN 2,4
- 2 CLS #: PALETTE 7,0: LIST 22: FOR i=0 TO 11: PRINT AT i,3;"
- ": NEXT i: PALETTE 7,127
- 3 PRINT AT 16,1; "Please wait while calculating."
- 4 LET x=127, y=108, s=3, b=15, n=50, m= 0, f=9: DIM p(2, 230)
- 5 FOR f= 1 TO 230: LET p(1,f)=SIN (f/20),p(2,f)=COS (f/20): NEXT f : REM Increases Speed wi th 43%
- 6 PRINT AT 16,0;" - Press an ": PAUSE y key.
- 7 DEF FN y(a)=30+p(1,a)*b+m
- 8 DEF FN x(a)=127+p(2,a)*n
- 9 DO
- 10 LET f=f+(126 AND f<9)-(126 AND f

>135)

- 11 LET f=f+s,f1=f+42,f2=f+85
- 12 PRINT AT 0,0; "Y:"; y+18; " B:"; n; " BY:";m+33;" S:";s;" N:";b
- 13 LET y=y+(3 AND, INKEY\$="q")-(3 AN D INKEYS="a" }
- 14 LET b=b+(3 AND INKEY\$="r")-(3 AN D INKEY\$="f")
- 15 LET m=m+(3 AND INKEY\$="w")-(3 AN D INKEY\$="s")
- 16 LET n=n+(3 AND INKEY = "e")-(3 AN)D INKEYS="d" }
- 17 LET s=s+(2 AND INKEY\$="t" AND s< 9)-(2 AND INKEYS="q" AND s>-9)
- 18 IF f MOD 2=0 THEN DISPLAY 1: SCR EEN 2: CLS : ELSE DISPLAY 2: SCR EEN 1: CLS
- 19 PLOT x,y: DRAW TO FN x(f), FN y(f): DRAW TO FN x(f1), FN y(f1): DR AW TO FN x(f2), FN y(f2): DRAW TO FN x(f), FN y(f): PLOT FN x(f2), FN y(f2): DRAW TO x,y: DRAW TO F N x(f1), FN y(f1)
- 20 LOOP
- 21 REM Hey- SAM Owners out there, d rop me a line....
- 22 REM 19901130
- 23 REM By Mattias Danielson
- 24 REM Storgatan 89
- 25 REM S-51600 Dalsjofors
- 26 REM Sweden.
- 27 REM
- 28 REM Controls:-
- 29 REM Q,A Top Y-Coordinate
- 30 REM W,S Base Y-Coordinate
- Base Width 31 REM E,D Viewpoint
- 32 REM R,F 33 REM T.G Speed

Many thanks, Mattias.

another item from Mr Finally, Baumann, which I have not had time to test. It's for people who need to transfer files written on Tasword produce 3/128/+2 (all of which OPENTYPE files) to Tasword 2 (which uses CODE files. The program converts files to TW2's 64 character line format. If your file is more than 64 characters across reformat it before conversion. If it is then more than lines, split it into pieces, 300 otherwise it won't fit into Tasword 2. Once converted to TW2 format you could Green Leys Cottage, then load the files into the SAM Bishampton, version of Tasword 2.

Here's the program.

- 1 REM *** T3T2 *** L.G.Baumann ***
- 5 REM When the "End of file" messag e appears save the new TW2 textfi le by entering "GOTO 1000"
- 10 CLEAR 31999: LET n=32000
- 20 CLOSE #12: LET skip=0: LET scrn=0 : LET thecode=0
- 30 PRINT AT 4,0; "Name of file to be converted to Tasword2? ";: INPUT a\$: PRINT " - ";a\$
- 40 PRINT AT 10,0; "Do you want the te xt to appear on the screen Y /N ?"
- 50 IF INKEY\$="Y" OR INKEY\$="y" THEN LET scrn=1: GOTO 80
- 60 IF INKEYS="N" OR INKEYS="n" THEN LET scrn=0: GOTO 80
- 70 GOTO 50
- 79 REM modify the next line to suit your disc system
- 80 CLS : OPEN #12;"m";1;a\$
- 90 LET thecode=CODE INKEY\$#12
- 100 IF thecode=13 AND skip=0 THEN POK E 23692,255: GOTO 160
- 110 IF thecode=13 AND skip=1 THEN GOT 0 180
- 120 IF thecode=10 THEN GOTO 90
- 130 POKE n, thecode
- 140 LET skip=0: GOSUB 190
- 150 LET n=n+1: GOTO 90
- 160 IF INT (n/64)=n/64 THEN LET skip= 1: GOTO 90
- 170 POKE n, 32: GOSUB 190: LET n=n+1: GOTO 160
- 180 FOR b=1 TO 64: POKE n, 32: GOSUB 1 .90: LET n=n+1: NEXT b: GOTO 90
- 190 IF scrn=1 THEN PRINT CHRS PEEK n:
- 200 IF scrn=0 THEN PRINT AT 0,0; "wait : ";"address= ";n
- 210 RETURN
- 999 REM Don't forget CLOSE #* if it's a Disciple or +D
- 1000 CLOSE #12: CLS : INPUT "Name for saving TASWORD2 file?";b\$
- 1009 REM Adjust for your disc system
- 1010 SAVE *"m";1;b\$ CODE 32000,n-32000

That's all for now. Many thanks for all the goodwill messages. Please keep the short snippets coming in to me:-

John Wase, Pershore, Worcs, WR10 2LX.



For The DISCiPLE & PLUS D

By:- Ken Elston.

It is said that everything comes to those who wait. I first heard of Uni-Dos over two years ago, even before it had a name. At that time it was to be a PLUS D overlay to provide random file access. It has grown quite a bit since then.

Although I only have a pre-release version I am quite impressed.When Uni-Dos arrives you get a disc, a fairly comprehensive 32 page manual, and a ROM chip. When you order you need to state the type of disc (5.25"or 3.5" / 40 or 80 tracks) and whether you have a PLUS D or a DISCiPLE. I have both and so have two ROM chips.

At first I was a bit nervous about changing the ROM chips as the manual keeps saying "carefully" and giving grave warnings if you get it wrong. But apart from having to get the chip legs in line, they were wider than the socket, it was dead easy. The instructions are really easy to follow and I think it would be difficult to get it wrong.

Once this was done there is a set-up program to run. The disc part is very easy but there seems to be no end to the printer options. Lucky for me all the defaults are for EPSON printers and so I didn't need to change any. The extra-nice thing for someone like me who has both a DISCIPLE and a PLUS D is that only one system file is needed on a disc to work with BOTH interfaces.

Now what do you get for your money? All the old GDOS commands are there, although everything related to the DISCIPLE networking has been removed. Many of the commands now work faster especialy some of the multiple commands like ERASE dl"*" and many of the annoying bugs of GDOS have been fixed. For example you can now do a

CAT and send it to a file on disc.

One of the biggest changes is the copy command this is no longer SAVE D1"*" TO D2. It has been replaced with the MOVE command. The syntax is otherwise unchanged but there is quite a difference in how it works. You now get two lists on the screen showing which file is being read and written. But the best thing is when it has finished the Spectrum does not crash. Your program is still there so you can safely copy files within a now program. Also ALL types of file can be copied and they can be of any length. This is because Uni-Dos uses the space between RAMTOP and STKEND to do the copy. It does mean that you can get an OUT of memory error when you try to copy if there is no space left. It also means that the larger your Basic program (or the lower you set RAMTOP) the less room Uni-Dos has to hold sectors from the files it is copying so the slower the job becomes.

The MOVE and SAVE commands can be written as SAVE OVER etc, this will overwrite an existing file without waiting for you to reply Y or N. Again very useful from within programs that save files.

There is a new version of the LOAD command which allows you to LOAD p"file". This works just like the LOAD Pn command except you do not need to know the number. This makes loading snapshots real easy just type LOAD p"SNAP f" and it loads and runs.

The next thing the manual tells you about is OPENTYPE files. These can be used in exactly the same way as on GDOS. But now you CAN be writing files on two discs and you CAN open more than one channel to the same file. If you open the file OUT it is written just the same as a GDOS OPENTYPE file but if you open it IN then you can move around in the file by using the new POINT command. This gives true RANDOM ACCESS. The most impressive thing I could do with OPENTYPE files was to open a file RND. This lets you read and write the file and move about using POINT. I thought I could fool it by opening #4 and #5 to the same file and then write something to #4 and read it back with INPUT #5. IT WORKED!

You can find out where you are in a file by LET x=(POINT #n) and get the length of a file by LET x=(LEN #n). The brackets are necessary because of the way the Spectrums line scanning system works.

The CLOSE command has been improved so you can now use it to close channels of type S K and P, the standard Spectrum channels. You can silly things like even do OPEN #2;d1"screen" OUT and OPEN #0;dl"keys" IN. I can't think of any real use for this but its there.

Apart from the small and large screen dump you can now dump any part of the screen and make it any size by using the new dump command SAVE SCREEN\$ # this takes upto 7 parameters. I played about with it for hours. Also the all black small dump problem which annoyed many GDOS users doesn't appear. The large screen dump actually uses the new dump command and by poking new values into the DOS with POKE @ you can get any type of dump from the snapshot button. A number of things have been improved with the printer. The margin and line spacing can be changed at any time and it disc as a single random access file. works as you would expect as the Both these feature should allow people margin is sent at the start of theline not after the end of the previous line as GDOS did.

Also two new features have been added to the snapshot routines the first is "P" which re-sends the printer initialisation codes which is very useful if you have the printer set up different from normal and you have to switch it off and back on for error is using LET err=(PEEK @99) and any reason. The second feature is that when the error is fixed return to the if a snapshot does not work, if the line giving the error by CONTINUE.

disc is full or not ready for example, then you are returned to the striped border so you can try again form exactly the same point in the program.

Possibly the biggest change over GDOS is that you can now have sub-directories. Each sub-directory can hold from 1 to 99 files its size being specified when it is created. A sub-directory can have sub-directories within it and so on. I made 100, each inside the other, before deciding that it really did work. This means that you can now have hundreds of files on a disc in fact over 1000. You use the / character to separate a directory from a file name so you can have such things as LOAD dl"wordproc/letters/solicitor/moo re5". Unfortunately you can not use the wild-cards (* and ?) in the directory names.

You can select the current disc by doing an IN D1 or IN D2 and set the current directory by IN D1"<directory>/" you do need the / at the end. For example IN dl puts you in the root directory of disc 1. IN dl"wordproc/letters/" puts you in the letters sub-directory which is in the wordproc sub-directory on disc 1. IN dl"solicitor/" would move you down into the next level. IN d1"..." would move you back up one level and IN d1 "/" takes you right up to the root directory.

open a channel to a You can directory so that you can read through it without having to use LOAD @ all the time. You can also open the entire to very quickly write utility programs that manipulate disc files in fantastic ways (I look forward to seeing some in FORMAT).

An error trapping command has been added so you can say LINE n and, when any error (including disc and 128K errors) occurs, the program does a GOTO n. You can find out what the This is nearly as good as SAMs error trapping.

As well as the new directory file-type there are also CREATE files. I'm not sure how they work but they add even more functions and commands to Uni-Dos. There are three on the disc. The first, ext_code adds the command FORMAT d1"name" to name а disc, which is printed by the CAT command and two functions. (LINE) to tell which is the current drive and whether there is a disc in it and if it is write protected. (STR\$ #n) to find out what type of channel is connected to a stream S K P D or d.

Dir_code gives two commands to create and remove sub-directories and a function to find the pathname of the current directory.

Pcat_code allows CAT p to give a desktop type representation of a directory using icons. (This is not mentioned in the manual and may not be part of the final version)

There are quite a number of other changes that while only small when totaled make Uni-Dos a very powerful product. Not least the fact that you only need one system file for both PLUS D and DISCIPLE.

I suppose that it was to save space that the disc FORMAT routine was taken out of Uni-Dos and made into a stand-alone program but that is no real hardship, in fact most other computers have format routines that are not part of the actual DOS. The format routine does something to discs that enables Uni-Dos to tell what disc you have in. So if you are copying from one disc to another and you put disc in the drive by wrong the accident Uni-Dos knows and tells you. However, you can re-format any disc and not lose any of the files on it.

There are a number of small changes that you have to look for such as hidden and protected files. ERASE can be made not to give an error if there is no file to remove. MOVE will copy files on a disc to the same disc in the same drive without asking you to change discs, this is used when you are copying files from one directory to another. There are quite a few more.

On the other hand there are problems with a number of the programs that I use. Any program that loads into the PLUS D's RAM area or which makes calls direct to the GDOS ROM just do not work. I believe that there are only 28 bytes left in the PLUS D RAM so there is not much room for things like PLUS D HACKER. I have found a number of programs that work on GDOS that do not work on Uni-Dos but I would think that conversion programs will soon be made available.

Uni-Dos is available from S D Software. See their advert elsewhere in this issue. INDUG members can get a discount if they quote their membership number

* * * * * * * * * * * * * * * * * *



I just wish there was more in this bed!



"I hope this hasn't started something."

PBT ELECTRONICS

P.B.T. Electronics Ltd., Unit 17, Port Talbot Workshops, Addison Road, Port Talbot, West Glamorgan, SA12 6HZ. Tel No. 0639 885008

SAM COUPE COMPUTERS

SAM Coupé + 1 Disc Drive£199.99
SAM Coupé + 2 Drives£275.00
SAM Internal Disc Drive£79.95
SAM 256K RAM Expansion£39.95
SAM Comms Interface£29.95
SAM External Disc Interface£29.95
SAM Coupé 512K + 1 Drive£235.99
Blue Alpha Voice Box£39.95

DOT MATRIX PRINTERS

Citizen	120D	(Parallel)£140.99
Citizen	120D	(Serial)£150.99

CABLES & CONNECTORS

Parallel Printer (BBC/+D)	£7.99
Parallel Printer (+3 Type)	
Serial Printer Spectrum Type	£8.99
UHF. Computer to TV	£1.99
Spectrum Cassette Leads	
SAM Scart to Scart	£9.99
SAM Dual Joystick Adaptor	
BBC/+D Dual Drive Connector	

SPECIALS

3.5" DS/DD Discs, Box of 10....£6.49 Spectrum 48K Power Supplies....£9.99 Spectrum 128K Power Supplies...£14.99 3.5" 80Trk Disc Drives......£99.99 Citizen 120D Printer Ribbons...£4.49 Star LC10 Ribbons - Black.....£5.99 Star LC10 Ribbons - Colour....£7.99 2000 Sheets A4 Tractor Feed...£19.99

All prices include VAT POSTAGE: Printers/Computers £5.00 All other products £1.00

Please make cheques/Postal Orders payable to PBT Electronics. Allow 28 days for UK mainland delivery.

MGT DISC DRIVES AND PLUS D INTERFACES REPAIRED 3 MONTH GUARANTEE GIVEN ON REPAIRS Please phone before sending repairs.

PERSONAL COMPUTER 9 HOROSCOPE

Astro-Tech will provide you with your own personal horoscope and character analysis.

Just send the date, time and place of your birth together with your name and address to:-~

> ASTRO-TECH, P.O. Box 255, Cheltenham, GL52 2DH.

The full printout (a minimum of 10 pages) including Graphic Ephemeras Wheel & Aspect Chart.

Only £10

IDEAL BIRTHDAY GIFT-

Please make cheques or postal orders payable to Astro-Tech.



The Fantastic PARALLEL INTERFACE For The SAM Coupé

A full feature Parallel Printer Interface. Totally compatible with SAM's ROM and DOS printing routines and with utility programs like FLASH and TASWORD 2. The interface has the added advantage of being BI-DIRECTIONAL so allowing information to be read into your Coupé from almost ANY other computer. Add £7.95 for printer cable if required.

Available only from FORMAT PUBLICATIONS	SPECIAL INDUG MEMBERS PRICE Only £14.95
34 Bourton Road, Gloucester, GL4 OLE	Non Members £19.95
Cheque/P.O. Payable Please quote your	

Overseas plus £1.50 postage

MONEY MANAGER

By:- Carol Brooksbank.

This month we start to fill in the main menu options. You now have enough of the program, if you want to try it out, to set up your calendar and variables, though, of course, you can only view or print the calendar and save it. You cannot yet change it or make any use of it. If you decide to do that, the program with the data be saved as "ACCOUNTS", and will eventually we shall save the loader as "MONEY" or "AUTOMONEY" - depending on whether you want the program to auto-load from a disc - so continue to save this listing that you are still developing as "MANAGER", so that they do not overwrite each other.

But in case you want to test the program, we need to have some way of returning to BASIC to add more lines, so we shall begin, in an upside down way, by writing the last option first.

Main menu option 9 is the EXIT TO BASIC option. The last line of the main menu BASIC which we added last month was:-

GOTO 1000*opt

so, OPTION 9 BASIC starts at program line 9000.

- 9000 CLS : PRINT AT 3,11; PAPER 6; PE N 0; "CAUTION" 9005 PRINT AT 6,13; "USE" 9010 PRINT 9015 CSIZE 8,16: PRINT : PRINT : PRIN T AT 4,10; PAPER 7; PEN 0; GOTO MENU"
- 9020 CSIZE 8,8
- 9025 PRINT : PRINT : PRINT AT 12,3;"T O RE-ENTER THE PROGRAM": PRINT A т 16,0
- 9030 presskey
- 9035 POKE SVAR 615, 2: SCROLL RESTORE : STOP

first prints a warning on screen that will be overwritten as we go along.

you must use GOTO MENU to get back into the program. This is because the calendar and all your financial information are held as DATA arrays or variables. RUN would destroy them.

In line 9035 the statement POKE SVAR 615,2 returns the keypad to normal function keys. While we are within the program, these are a keypad so that they can be used for entering sums of money quickly. If SVAR 615 holds an odd number, the keys are a keypad. POKEing it with any even number restores the function keys.

next command in line 9035, The SCROLL RESTORE, enables the 'Scroll?' message, which we had turned off with "SCROLL CLEAR" so that the screen display of the calendar runs straight through without pausing. After restoring these two items to normal state, the program uses STOP to exit to BASIC.

At the moment, none of the other main menu options have been written, so if you selected their numbers at the main menu, the program would run straight through to 9000 and exit to BASIC. This may not be what you want, so for the time being, enter the following lines:-

1000 CLS: wrongoption: GOTO menu 2000 CLS: wrongoption: GOTO menu 3000 CLS: wrongoption: GOTO menu 4000 CLS: wrongoption: GOTO menu 5000 CLS: wrongoption: GOTO menu 6000 CLS: wrongoption: GOTO menu 7000 CLS: wrongoption: GOTO menu 8000 CLS: wrongoption: GOTO menu

If any unwritten option is selected now, the wrongoption procedure at 10855, which we wrote last month, will be called and the program will then This is a very simple option, which return to the main menu. These lines

We begin now with main menu option month that toggle returns to this 1, the PAY DAY option. The convention point after displaying or wiping out will be that every program option will return you to the menu from which it is called, and option 9 of every menu will return you to the previous menu.

- 11115 DEF PROC statement
- 11120 LPRINT "Assigned money set asi de for paying bills: f.";assign
- 11125 LPRINT : LPRINT "Savings for e mergencies and occasional purcha ses: f";savings
- 11130 LPRINT : LPRINT "Free money av ailable for day-to-day expenses: £";cash
- 11135 LPRINT : LPRINT "TOTAL FUNDS: E" ;assign+savings+cash

1 (A)

11140 END PROC

Unlike option 9, the PAY DAY option has its own menu. In line 1095, you see that its options will reside at not what it returns, which is why it 1000+(100*opt)

must fit into the lines between 1000 would recognise keypad numbers and 1099. This is a fairly short menu, with only three options plus exit, so the key pressed, but it is less we have no difficulty, but at some convenient at menus because a line is we have no difficulty, but at some menus we shall have to use more multi lines and shorter steps statement between lines to fit everything in.

Incidentally, if you want to make it easier to find your way about the listing, you can use embedded INVERSE codes in the REM statements. Press the INV key before you type REM, and press SS/INV before using RETURN to enter the line. This will make the REM will be option 9 - the one which statements appear in blue lettering on a white background, and they will out stand listing.

This menu starts, like every menu, by being labelled with its number. This is menu3 (main menu page 1 is one, used for changing the amount put menul, and page 2 menu2). The screen is cleared, and togflag reset to show that the funds display is not present at this moment.

chosen, line 1065, has its own label, men3. You will remember from last

the funds display. Line 1080 sets menno to the menu number and calls toggle if D or E are selected. The other lines between 1065 and 1090 ensure that if any keys other than 1,2,3 or 9 are pressed, wrongoption will be called and menu 3 displayed again. This applies to the letter keys, to SPACE, DELETE, EDIT, RETURN and so on. The only key which will respond other than a valid menu key is ESC, which would break out into BASIC - but without the warning message of main menu option 9.

I mentioned earlier that the function keys, even though they are acting as a keypad and returning numbers, will not be recognised at the menus. GET opt fetches a key number, will recognise A as 10, D as 13, E as 14 etc. GET opt\$ would return letters, This means that PAY DAY menu option but would still not make any sense of 1 will reside at 1100, so the menu the keypad numbers. Unlike GET, INKEYS as numbers because it returns the code of needed which will wait until you press the key.

> Every menu has a set of lines similar to these, to ensure that only valid option numbers may be its selected.

Every time we enter a new menu, the first of its options we shall type returns to the menu which called it. In this case, menu 3 is called from from the rest of the the main menu which gives us the line:-

1900 GOTO menu

PAY DAY option one is a very simple into the savings fund on pay day - the variable regsave . It displays the current amount, asks for the new figure, displays this and asks whether the new figure is OK. If not, it runs The point at which the option is the option again, if all is well it returns to the PAY DAY menu.

1000 REM THE PAY DAY OPTION

1005 LABEL menu3: CLS

1010 LET togflag=0

1015 CSIZE 8,16

1020 PRINT " FAY DAY MENU"

- 1025 CSIZE 8,8
- 1030 PRINT : PRINT : PRINT INVERSE 1; "1) CHANGE AMOUNT OF REGULAR": P RINT INVERSE 1;" SAVINGS"
- 1035 PRINT : PRINT : PRINT INVERSE 1; "2) PAY IN SALARY"
- 1040 PRINT " Transfers to funds mad e automatically"
- 1045 PRINT : PRINT INVERSE 1; "3) CHAN GE FREQUENCY OF REGULAR": PRINT INVERSE 1; " PAY DAY"
- 1050 PRINT : PRINT : PRINT : PRINT IN VERSE 1;"9) EXIT TO MAIN MENU"
- 1055 PRINT : PRINT : PRINT INVERSE 1; AT 20,0; "Keys D/E toggle funds display"
- 1060 PRINT PAPER 6; PEN 0; AT 21,0;"S ELECT OPTION NUMBER OR D/E"
- 1065 LABEL men3: GET opt
- 1070 IF opt=0 THEN wrongoption: GOTO menu3
- 1075 IF opt>3 AND opt<9 THEN wrongopt ion: GOTO menu3
- 1080 IF opt=13 OR opt=14 THEN LET men no=3:toggle
- 1085 IF opt >9 AND opt<13 THEN wrongo ption: GOTO menu3
- 1090 IF opt>14 THEN wrongoption: GOTO menu3

1095 GOTO 1000+(100*opt)

The procedure - statement - is a short one used by the next menu option, and also by one of the BANKING MENU options which we shall meet later. It gives a printout of the amounts held in the three funds, and the total. You may find that your printer requires you to enter the "£" as "#" in LPRINT lines to make the "£" print properly.

- 1100 CLS
 1105 PRINT "Your present savings are"
 : PRINT "£";regsave;" per";
 1110 IF I\$="W" THEN PRINT " week"
 1115 IF I\$="M" THEN PRINT " month"
- 1120 INPUT "Please enter new amount";
 regsave
- 1130 IF IS="W" THEN PRINT " week"
- 1135 IF IS="M" THEN PRINT " month"

- 1140 PRINT : PRINT : PRINT "Is this O K?":yes no
- 1145 IF Y\$="N" THEN GOTO 1100
- 1150 GOTO menu3

This is the PAY DAY menu option 2 the option used on pay day to enter your wage and have the transfers made to the various funds. You are prompted in lines 1205 and 1210 to enter your take-home pay. In line 1215, this is added first to the 'free money' fund. In line 1220, the amount you have month decided to save every 18 transferred from 'free' to 'savings'. Lines 1225 and 1230 transfer to 'assigned money' the amount needed to be put aside towards the bills on the calendar. The frequency of your pay day) held in I\$, determines which of these two lines operates. The rest of your pay is left in the 'free' fund.

Line 1235 displays the current state of the funds, and the amount you paid in. WINDOW 0,30,9,16 ensures that nothing overwrites the funds display at the top of the screen. You are then asked whether you wish to make any transfers between the funds, and if so, transfunds (line 10665) is called. The option ends by offering a printed statement. If this is required, the amount of take-home pay received is printed first, and statement called to print out the funds state. A return is made to the PAY DAY menu.

- 1200 CLS
- 1205 PRINT "PLEASE ENTER YOUR TAKE-HO ME PAY"
- 1210 INPUT "amount?"; pay
- 1215 LET cash=cash+pay
- 1220 LET savings=savings+regsave, cash =cash-regsave
- 1225 IF I\$="W" THEN LET assign=assign
 +week,cash=cash-week
- 1230 IF IS="M" THEN LET assign=assign +month,cash=cash-month
- 1240 PRINT : PRINT "DO YOU WISH TO TR ANSFER FUNDS?":yes_no"
- 1245 IF Y\$="N" THEN GOTO 1255
- 1250 transfunds
- 1255 WINDOW
- 1260 CLS : PRINT "DO YOU REQUIRE A PR INT-OUT?":yes_no

1265 IF YS="N" THEN GOTO 1275 1270 LPRINT "PAY RECEIVED";" £";pay: LPRINT : LPRINT :statement 1275 GOTO menu3

This last PAY DAY menu option is only used if your normal pay day changes from weekly to monthly or vice versa. It updates I\$, and then makes the calculation, using the appropriate function, to determine how much must be put in the 'assigned' fund on each pay day. The functions were defined in lines 295 and 315. Like all PAY DAY options, it returns to menu3.

1300 CLS : POKE SVAR 618,8: PRINT "AR E YOU IN FUTURE TO BE PAID WE EKLY OR MONTHLY?"

1305 INPUT "Please enter W or M"; I\$

- 1310 IF I\$="W" OR I\$="M" THEN GOTO 13 25
- 1315 CLS : PRINT "YOU MUST ENTER W OR M":presskey
- 1320 GOTO 1300
- 1325 IF I\$="W" THEN LET week=FN B(yea r)

1330 IF I\$="M" THEN LET month=FN Q(ye ar)

1335 GOTO menu3

That is as far as we go this month, but you will be pleased to know that we are now more than half way through this giant program. See you again next month.

EDITOR'S NOTE

Readers will have noted that the program listings in this months MONEY MANAGER look different to those of previous months. Some readers have reported difficulty entering listings produced using LIST FORMAT 2 which, on a full-width printer, gives a nice indented listing with each statement on a different line. However it did make it difficult to work out the number of spaces in PRINT commands.

For this reason we will now be using the block standard with line numbers pulled to the left and NO EXTRA SPACES introduced into the listing. I hope this makes life easier.



B.G.SERVICES (Brian Gaff). 64, Roebuck Road, Chessington, ⁵⁴ Surrey, KT9 1JX. Tel 081 397 0763

NEV'S HELP

HELP PAGE

By:- Nev Young.

Mr Jones of Ladybarn writes to ask why after he has entered about 200 lines of text of an adventure program does his Coupe die. To me this sounds like a problem with one of the early version 1 roms. If you have upgraded them I fear that you have a sick SAM. Phone PBT and get details of how to get it fixed.

A regular writer Malcolm Perry has written with a little problem about printing on the bottom part of the screen. He says that you can not erase old text with PRINT AT like you can on the main screen so he now uses a ROM call at 3438 (OD6EH). This is CLS-LOWER and does just that. He asks if this the "best" way of doing it.

Well it is certainly a good way and it works but you might be pleased to hear that you CAN do PRINT #0; AT etc and it will work. Another quick way of clearing the lower screen is to use INPUT, (don't miss out that comma).

Mr Birkett of Chester-le-street has got a real poser. He has bought a modem built by GEC type BCW93K. Problem is he doesn't know how to set it up. Can anyone supply him with a manual or let him know where to get one. Personally since there is no BT approved sticker on it I wouldn't touch it. Especially as B G Services sell the VTX5000 at only £15. You will need to spend more than this on a serial interface for your Spectrum. As for connecting it to your Archie then I'm sorry but I haven't a clue.

Mr L.G.Baumann is having problems using the OCP Finance Manager +80 on his PLUS D. This gives an error 'Invalid Code' when he tries to load a file. I'm afraid the reason is that the program uses microdrive functions that do not exist on the PLUS D. I do know that a PLUS D version was

produced but I can not advise you where it could be obtained now, anyone out there know?

Anton Rothwell is having problems with the MIDI interface on SAM. Now I don't know too much about MIDI as I can't find a cello with such an interface. However looking at your code I think I can see where at least some of your problem is. Your code consists of loading the A register with values followed by OUT (253), A. I know this will not work.

Once you have loaded port 253 with a byte you must wait for bit 4 of port 249 to be reset. This signals that port 253 is ready for the next byte. By just sending them as you have the data at the port will be corrupted by the next byte before it can be sent.

I've not tried this but you could try it and see what happens.

ORG 32768

START: DI ; disable interrupts during setup LD HL,TABLE ; point to table start LD (NEXT),HL ; store pointer LD HL,SNDNXT ; load midi out vector LD (23274),HL ; with our own routine CALL SNDNXT ; send first byte EI ; enable interrupts RET ; finish

SNDNXT: IN A,(249) ; get intrupt register BIT 4,A ; test bit 4 RET NZ ; return if not a midi out ; interrupt XOR A ; clear carry flag LD HL,(NEXT) ; get pointer LD A,(HL) ; get byte to send INC HL ; point to next byte LD (NEXT),HL ; save pointer OUT (253),A ; send byte LD DE,TABEND ; end of table

SBC HL,DE ; test if at end of table
RET NZ ; return if not at end
LD HL,0 ; clear interrupt vector
LD (23274),HL
RET ; finish

NEXT:

DEFW 0 ; pointer storage

TABLE:

DEFB 144,60,127 ; midi data DEFB 144,65,127 DEFB 144,36,127 DEFB 144,93,127 DEFB 144,60,0 DEFB 144,65,0 DEFB 144,65,0 DEFB 144,36,0 DEFB 144,93,0 DEFB 0

TABEND:

This should set the midi interrupt vector and then send the data to the MIDI port at the maximum rate. But no guarantees.

I Think your checksum problem is that you should not use BAND A5H but just add A5H then use the total MOD 128 for the checksum. And finally there was a series of articles on MIDI some months back in FORMAT that may help you to do more.

Mr. Henderson wants to know the SAM equivalent of LOAD@ and SAVE@. Couldn't be simplier, instead of LOAD @1,3,10,64000 on SAM you use READ AT 1,3,10,64000. SAVE @ becomes WRITE AT. But note that you will need MASTERDOS if you want to load to memory addresses higher than 65535.

Alan Cox would like a SAM version of the disk cleaning program in issue 3/3. Just use the same program but change line 10 to be LET com=224 for drive 1 or 240 for drive 2.

And yet another Sam problem. I do seem to be getting a lot of these. This time from Mr D Hood of Newcastle. (Of Betterbytes fame). He raised the point that when SAM copies a disk file it will overwrite anything that happens to be at address 65536 onwards. There are two possible fixes. The best is to buy Masterdos. the second is to POKE DVAR 5909 with a value greater than 3. This is the starting page for the copy to use. Dont make it too big or SAMDOS2 will overwrite itself as it makes no check on what is using those memory pages. (Bad Samdos2)

Well thats all for this month. Any interesting problems then write to me at:-

FORMAT Help Page, 70,Rainhall Road, Barnoldswick, Colne, Lancashire, England, BB8 6AB.



* * * * * * * *

We have a very full range of Educational Software for both School and Home use. The range embraces Infant and Junior work, and covers the new NATIONAL CURRICULUM requirements in Mathematics and English.

Programs are available for the SAM Coupé and all Spectrums from the 48K onwards - even the +2A and will work in 48K or 128K modes. They can be supplied on cassette, microdrive cartridge and most types of disc.

SAE for lists, please

B.SEYMOUR, 25, CHATSWORTH GARDENS, SCARBOROUGH, NORTH YORKSHIRE, YO12 7NQ.

Phone, any time, 0723 372621.

MASTERDOS

A A GIANT LEAP FOR SAMKIND

acquired Ι improved DOS for the SAM Coupe at the opened 3 sub-directories on my wordpro-Christmas All Formats Show. Reading files disc: Library, the manual in the train on the way Articles. When I do a DIR, those home, I found myself wondering: what directories are the only files listed, if I had no particular interest in even though there are more than 3 programming - just used my SAM for files on the disc. DIR ? or DIR 1? word processing, DTP work, artwork will give a with FLASH! and so on - would the new directory of all the files. But, if I exciting facilities seem worth it?

After using MASTERDOS for about ten DIR="Library" will make days, unqualified YES. However non-technical will then list all the files in that you are, this new DOS is going to make subdirectory, and no others. When I am life easier for you.

If you write a lot of short letters, or type in many of the FORMAT will then be saved/loaded using the routines, you have probably already right discovered that the 80 files on a disc detailed are used up in no time, but there are subdirectories of subdirectories always 100-odd or more K-bytes of could unused space left over. Even though Articles/MCODE. discs are cheap enough these days, it seems a waste.

hold more files, by assigning anything the short directory, DIR, lists files between 4 and 39 tracks to the in alphabetical order. A DVAR POKE directory. If you use more than 4 will turn this feature off if it tracks, the number of files is 20 happens to displease you, and another times the number of directory tracks, minus 2. So FORMAT "D1",10 - a 10 to be used in displaying or printing track directory - would give 198 files the short directory. on the disc. You lose 5K of data space on the disc per directory track (which is how the normal 4-track directory useful DATE feature has been provided, gives 780K storage on an 800K disc), so 10 directory tracks would leave was saved. This is meant to be used 750K free. A guick glance at your full with the clock on the new SAM BUS, but discs will suggest the number of files even if you don't have that, you can per disc which would be most practical for you.

MASTERDOS also allows subdirectories. This is a way of grouping a bonus indeed. I often grab any old your files on the disc, so that you do disc with space on it for saving not have to wade through a complete letter files, so if I have written directory to find the one you want. As several letters to the same person,

By:- Carol Brooksbank.

Andy Wright's new, an example of how this works, I have Format, and short or detailed want to know which files on the disc have 👘 to with do the Library, that the the answer is a definite, current directory, and DIR or DIR 1 writing an article like this one, I exit to BASIC, DIR="Articles" and then re-enter the word processor. The file directory. For even more sorting you can use - I use Articles/SAM OI

All this is a boon to someone like whose discs are mostly very me, MASTERDOS lets you FORMAT a disc to disorderly. The other bonus is that lets you choose how many columns are

> Discs can be given names, and a very which records the date on which a file still date your files. DIR DATE will display full cataloque which а includes the dates. To anyone as slapdash about discs as I am, this is

on numerous discs. The only way to RAMdisc, but CAT and ERASE are not find a particular one is to load and available from the TAPE menu, so I inspect them one-by-one till I find have made those disc options call for it. DIR DATE, in future, will give me a "drive number" INPUT and set DEVICE the date on which the letter was written. There is a similar facility for setting the time.

There is now a RAMdisc feature. When you FORMAT a RAMdisc you specify the total number of tracks and how many are to be reserved for the directory. The RAMdisc size will depend on the space you have free in memory. SAVE, LOAD and DIR commands for the RAMdisc are just the same as ordinary disc commands - DEVICE is used to make the RAMdisc the current drive - but the speed is astonishing. This is such a useful facility that I now, on my 512K machine, FORMAT an 80 file RAMdisc with 230K storage, before loading either my word processor or FLASH!.

I use PCG's DTP PACK running under either Lerm's SAMTAPE or Steve's Software's SC_SPECLONE Spectrum emulators, and those who are familiar with DTP will know that there are a lot of extension files, extra fonts and so-on which you may need to load. I have made up a disc of the ones I need most often, and before loading DTP I copy these files to the RAMdisc. I have modified the Spectrum and SAM BASIC so that when Drive 2 is selected, (I have only 1 drive), the RAMdisc becomes the current drive. Files are loaded like lightning, and there is still enough room on the RAMdisc to save copies of the file I am working on, if I want to free up the memory, say, to work on an illustration. Of course, before SAM is switched off, you have to remember to save all the important files to a real disc.

With FLASH!, this 80 file, 10 track RAMdisc can hold up to 9 mode 4 the files already copied and "a" to screens, and they save and load in the twinkling of an eye. You can hold screens for BLOCK/INSERT, intermediate versions of the one you are working also be used with ERASE. on, files of alternative fonts, texture fill patterns and so on.

there tend to be files called "SMITH" FLASH!. TAPE commands now use the appropriately.

> You can have up to 5 RAMdiscs operating, but you would really need the new Card Cage from SAMCO and their external memory modules to take advantage of all of them.

A new command - BACKUP - clones a disc onto another formatted one. Any files already there will be lost and. you will be left with two identical discs. So, what if you want to copy the files from one disc to another, without losing the existing files on the target disc, and have only one drive? Do you still have all that disc swopping? Not any more. FORMAT a RAMdisc, D3, and use COPY "d1" TO "d3". If there are not too many files, O.OK will tell you all is done, so put the target disc in the drive, COPY "D3" TO "D1" and the copy is made with only one disc swop.

If there are more files to copy than the RAMdisc can handle, you get a "Disc full" error message, so you copy the RAMdisc files to the floppy, and then FORMAT the RAMdisc again. Now another very useful facility comes into play.

COPY "D1" TO "D3"?

will make the computer ask

COPY "filename"? (y/n/a/e)

before copying each file. "n" goes straight on to the next, "y" copies current one, "a" copies the the current one and all the ones coming after it in the disc directory, "e" exits COPY mode. So, reply "n" to all the first uncopied one and all the ones still to be done are copied to the RAMdisc. This "ask me" feature can

File copying is so easy and quick Again, I have modified my copy of with MASTERDOS that I now use SAM for all my Spectrum disc copying too. The file copies are exact copies - they are still ZX files even though SAM did the copying. No more "put target disc in drive" - "put source disc..." over and over again for me!

I have also used this feature to copy all the files except SAMDOS2 from the SAMDOS system file to make a new MASTERDOS system file, and I have added another menu option to the "auto" program, which FORMATS the RAMdisc and returns to the menu, so that I can do that quickly before loading my modified FLASH! or going to BASIC to load the DTP files and program.

Files, subdirectories and discs can all be renamed. Filename extensions are still available, but spaces are filenames where the inserted in necessary so that "." and extensions are all in line in the DIR display. Again, there is a DVAR to POKE if you don't like this way of doing things. Wild cards, hidden files and file protection are retained, and there is now a DSTAT function which enables you to discover useful things about the current disc, like the number of file slots used and free, the amount of whether the disc is space, free write-protected, the number of files in the current directory, the number of directory tracks on the disc and so on. Another function, FSTAT, can be used to find the directory number, file length, file type and protected status of a file.

For programmers, MASTERDOS is packed with goodies. The READ AT and WRITE AT commands have been extended to operate on more than one sector - you specify the number of sectors involved and to work on addresses greater than 65535. MERGE, used to suppress the auto-running of a BASIC program, can also be used to stop an auto-run CODE file from CALLing itself.

The most exciting innovation is the handling of serial and random access OPENTYPE files. Even those who have never before ventured into this sort of disc/file operation will find the

straightforward examples make it all very easy to follow. I have one or two handy programs somewhere in my attic which I used to use in Microdrive days. I must dust them off and modify them for SAM now. SAM's MASTERDOS file handling is much more versatile than the Microdrive's - or the PLUS D's because MASTERDOS lets you open an existing file, move the pointer to the end, add some more data, and close it; There are example programs again. given for moving the pointer around fixed-length or with files variable-length records to make record access easier. MOVE is available too, for moving files from disc to disc, or to screen or printer. It even works on old Spectrum/PLUS D TASWORD 128 files.

definitely for MASTERDOS is for just skilled everyone, not programmers. The only trouble is, once you start using RAMdiscs you realise how useful it would be to have the BUS and a 1Mb external memory module or two so that RAMdiscs could hold the contents of one or two floppies in memory at once - what a big database that could let you use! Sadly, the starts looking a bit bank piggy inadequate.

Still, I came home from the All Formats show to find a cheque from the football pools people on the doormat. Only £3.90 this time, but if only I could get that right, I could get a Card Cage and a memory module (or maybe even two) and... Pull yourself together, Carol, and start saving up!

But believe me, you too will think MASTERDOS the best software investment you have made for a long time.

MASTERDOS is available for £14 + p&p direct from SAM Computers Ltd, Tel: 0792-700300.

EXAMPLES OF MODIFICATIONS TO PROGRAMS

PCG'S DTP PACK

Running under Lerm's SAMTAPE or Steve's Software's SC_SPECLONE. (SD Software's SPECMAKER emulation already uses its own RAMdisc).

The line numbers in the two versions c) SAVE OVER "FLASH!" LINE 9800 are different, but the structure is very similar.

the Spectrum BASIC, in the a) In subroutine called by the various disc operation lines, add a line or command at some convenient point:-

POKE 23312,d

- b) In the Spectrum BASIC, add the GOSUB instruction (which is in the lines which exit to SAM for LOAD, SAVE, and ERASE) to the line which exits to SAM for DIR
- c) In the SAM BASIC, immediately before the command which PEEKs a) Amend the following lines:-(23296+65536), add:-

LET d=PEEK (23312+65536):DEVICE Dd:POKE DVAR 112,3:

- d) In the SAM BASIC, change DIR 1 to DIR d (or DIR DATE if you prefer), wherever it occurs.
- e) In the line from which the program auto-runs, immediately after the CLEAR nnnnn command, add:-

INPUT "DATE?";ds: POKE DVAR 150,0: DATE dS

f) Save the Spectrum memory and the SAM BASIC again, using the method described in the emulator handbook.

FLASH!

- a) In lines 1015, 1025, 1035, change d) Change the following lines:-DEVICE t to DEVICE D3
- b) Change the following lines to:-

. _ _ _ _ _

1040 INPUT "DRIVE?";d: DEVICE Dd: D **IR: PAUSE: RETURN**

1050 INPUT "DRIVE?";d: DEVICE Dd: D IR: INPUT "FILENAME?";a\$: ERASE a\$:

RETURN

NB. With both DTP and FLASH!, if you want to use COPY "dl" to "d3" to put files on the RAMdisc, do so loading the main program. After the program is loaded, any files saved to the RAMdisc must be saved in the normal way through the program, selecting Drive 2 with DTP or TAPE with FLASH!.

_ _ _ _'_

AUTO

This is the menu program on the SAMDOS master disc.

50 - Add , "Format RAMdisc" at the end of the DATA

80 - Change FOR i=65 TO 76 to FOR i=65 TO 77

140 - Change PRINT AT 15,3; to PRINT AT $16, \overline{3};$

260 - Add :GOSUB 1000 at the end of the line.

b) Add a line

1000 FORMAT "D3", 4, 50: RETURN

N.B. A RAMdisc of this size is only practical with a 512K SAM.

c) Change lines 350 and 480 to read:-

PAUSE: INPUT "NUMBER OF DIRECTORY T RACKS?";n: FORMAT "D1",n

520 IF a\$="y" OR a\$="Y" THEN CLS: P RINT "Put MASTERDOS system disc in drive 1 and press a key": PAUSE: CO PY "DI:MDOS1" TO "D1"

390 BACKUP "D1." TO "D1"

e) SAVE OVER "auto" LINE 10



YOUR LETTERS



Dear Editor,

I have received the new copy of FORMAT with a final reminder that my membership was about to run out. This is not the case. You have the cheque in your possession as you returned my previous renewal form with a note saying you could not process it because I had not filled in my membership number.

I find it quite extraordinary that you cannot tie up my name and address with a membership number which no-one is likely to have to hand. I suggest that you invest in a <u>computer</u> of which there are many excellent makes on the market, such as SAM. It is also possible to purchase programs which do data-crunching, which could do the necessary tie-up, as with telephone names and numbers.

However, as I now have an envelope with my number on it I am returning the renewal notice.

Yours sincerely, L.W.Simpson.

Most organizations like ours allocate membership numbers and I don't think it is unreasonable to expect members to quote their number when contacting us.

We do use computers, there is no way we could run things without them. The main data-base program currently runs on a Spectrum. It records members names and addresses; expiry date; membership number; telephone number if we have one; and details of past orders processed. As there are now over 3000 records, each of which takes up 480 characters, the total data-base now runs to two discs with a third being needed soon when we go above 3200 records.

Each record is allocated a sector on the disc. This means that, given a membership number, access to any record is almost instant. However, if no number is quoted then the only way

to find a record is to search the entire data-base record by record. As your record would be number 1921 this means that nearly two-thirds of the records have to be read before we get to yours. If we were to look for your surname, and there is more than one Simpson on file, you can see that it takes quite some time to find your record.

If we have time, and the data-base is not being used for something else, then we have a go at finding a match. If none is found or we lack the time then we either send the renewal form back or file it and await a phone call from you.

So, PLEASE remember your membership number. Ed.

Dear Editor,

Please, PLEASE, P L E A S E could us Spectrum+3 owners have a little more coverage in your otherwise excellent magazine. Now the +3 has been killed off by Amstrad we really need your help.

Yours sincerely, Paul Marsh.

I get lots of letter from people asking for more articles on this or that, and I do know how desperate some people are for more information on their favourite machine or subject. But, as I've said before, we can only publish what comes in.

Now Paul, from your full letter I gather that you have had your +3 for two years. Well in that time you will have learnt something about the machine. If you write that down (using a word processor of course) then I will print it. Then other +3 users will start writing bits and before we know whats going on there will be lots of +3 items in FORMAT. Even if you only have a few hints or pokes then send them to John Wase for the SHORT SPOT, just don't sit there - WRITE to us. Ed.

Dear Editor,

With reference to the letter from Mr Lankester in the December issue. Τf he, or any other reader, is having trouble finding a solid rather than a ribbon two-way connector, then they to contact Greenweld may like Electronics Ltd. The company still Currah 'T' slot advertise the connector in their catalogue at £2 each plus postage. They can be contacted by on Southampton (0703) 772501.

> Yours sincerely, W.R.Vanstone. ----

Dear Editor.

Since I first played with a computer (a ZX81) I've been hooked. I purchased my own ZX81 and the following year I the proud owner of a 16k became Spectrum. Since then I've owned a FOR SALE SAM Coupé + disc drive, boxed DRAGON, a PLUS 4 (a much under-rated with all manuals. Latest ROM and DOS. machine) and a Amstrad 128k +2 (the old gray type that work - not the +2a) I've even played with a borrowed ST for a few weeks.

Now I GOT A SAM! It came as a pre-christmas treat (from myself) and it has proved a fantastic buy. In the past I have not considered myself as a programmer - and machine code is way over my head - but with SAM Basic the graphics you can produce are just wonderful. I will still keep my Spectrums but SAM is the machine I will be doing my programming on.

Given its power why are other magazines ignoring SAM? FORMAT is the only one that has regular coverage. In the old days (around 1984) there were printed FREE in the next available so many machines on the market that no issue. Any software sold must magazine could really cover them all. But now there are so few I would have thought mags could devote a page or two for SAM.

Yours sincerely, Simon Minchin. * - * - * - * - * - *

Letters may be shortened or edited to fit on these pages.

This is YOUR letters page so it is up to you, our readers, to fill it. Send your letters to the usual address and mark the envelope LETTERS in the top left-hand corner. Keep your letters as short as you can so we can fit in as many as possible.

ALPHACOM 32 thermal printer and AGF programmable joystick interface for sale, both in excellent condition. £12 each plus p&p, write to Steve Warr, Christ's College, Cambridge.

WANTED Kempston Mouse, PLUS D type with software. Will Buy or exchange with Genious Mouse GM6+, unused, with original pack software DR HALO III (MS DOS). Write Gerd Pommerenke, Fr.Schillerstr 16, 05600 Leinefelde, Germany.

Technical manual, SAMTAPE and Defenfers Game. £200 o.n.o. Contact Garry after 6pm 0532 610868.

CARAVANS for Rent near Paris and Eindhoven. Bookings being taken for 1991. Write for details to Rick Suffolk, Camping Latour, Postbus 77, 5688 ZH, Oirschot, Netherlands. ____

YOUR ADVERT

Selling, Buying, Pen Friends, etc. Any <u>PRIVATE</u> advert, up to 30 words (subject to acceptance), will be be original copies, in working order and with full instructions. The publishers will not be held, in any way, for adverts responsible in this column. Trade advertisers contact the publisher for rates.

PLEASE NOTE:- If your advert remains unpublished after two issues please send it in again.



PLAY 128

A Little Music For Your 128K Spectrum

The Spectrum 128k's PLAY command does have its limitations, mainly that the computer cannot do anything else while a tune is being PLAYed, but it is still quite an easy way of writing music compared with trying to program the sound chip directly.

Two examples of using the PLAY command are given below. Both are that you will probably tunes recognise, just type each one in turn and run it. The first plays for quite just type each one in turn a long time but it does eventually come to an end. The second plays for a much shorter time but in some ways it is more ambitious because it also incorporates a beat and uses the sound chip's wave generator.

Listing 1

- 10 LET z\$="M7N3DEC5a3b5g3dec"
- 20 LET y\$="N5A3B5G3DEC5a3ba#g5g&"
- 30 LET x\$="05N3e5C3e5C3e8C06N3CD#DEC D5E3b5D8C"
- 40 LET w\$="05N3d#de5C3e5C3e8C3D06ag# faC5E3DCa8D05N3d#d"
- 50 LET v\$="04N5cCgCfC3e05CD#DECD5E3b 5D8C"
- 60 LET u\$="04N5bcCgCfC5e05N3Cg#faC5E 3DCa8F04N5b"
- 70 LET t\$="O3N5CEg\$BfAeGgGgBC"
- 80 LET s\$="gCGCEg\$BfAe#Dd#FDABgab"
- 90 LET r\$="O6N3CDECD5E3CDCECD5E3CDCE CD5E3b5D"
- 100 LET q\$="O5N5f3e5f3e5f3&aDaCDCa(5g
 3#f)5g3&CFCDEDC"
- 110 LET p\$="05N3CDECD5E3CDCECD5E3CDCE CD5E3b5D"
- 120 LET o\$="05N5d3#c5d3#c5d&f&04aE(3# D5E)cG&C"
- 130 LET n\$="04N5gC&cC03\$b04E03a04F03# g04F03g04C03gB"
- 140 LET m\$="03N5fAaAfAaFC04C03geC04C0 3gE"
- 150 LET 1\$="(3ef#f5g3a5g)3ec05gab06cd edcd05g06efgagef5g3a5g3ef#f5g3a5g 3ga\$bb5bb3a#fd7g3&ef#f"
- 160 LET k\$="(3CD#D5E3E5E)3E5eO3fO4FfF

By:- Steve Warr.

eEO3gO5eE3E5E3CD#D5E3E5E3EO3N5#DO 5N3D5D6C5C7b3&CD#D"

- 170 LET j\$="cCgO4CO3cCgGfAF#GEGgGcCgO 4CO3cCE#D3DDGG5DAGfed"
- 180 LET 1\$=1\$+"5g3a5g3ef#f5g3a5g3ec05 gabO6cdedcd7c3cO5g#fg5C3a5C3aCagC E5G3ECg5aCO6N3e5d8c"
- 190 LET k\$=k\$+"5E3E5E3CD#D6EE5e03f04F fF04eEcEAF#D#DE7E5E#F#F05N6f8e"
- 200 LET j\$=j\$+"cCgO4CO3cCgGfAF#GEGC\$B FF#F#FG7G5GDDgbCg"
- 220 LET h\$="(5B3\$B)5B03g04BdG3#F#F6#F !!3&5#FC&&&"
- 230 LET g\$="gG7bO3N5gGD6G3G6G!!3&5GE& &&"
- 240 LET f\$="05N3a#ga5GF3CE#DE5A06N3C0 5GE5CC3E5D6C"
- 250 LET e\$="O4N5f3dA7A5GE#DE#F#F6FE"
- 260 LET d\$="O3N5fdefgG#FGadgbC"
- 270 LET f\$=q\$+i\$+q\$+f\$
- 280 LET e\$=o\$+h\$+o\$+e\$
- 290 LET d\$=m\$+g\$+m\$+d\$
- 500 LET a\$=x\$+w\$+x\$+r\$+"8CO5N3d#d"+x\$ +w\$+x\$+r\$+"06N7C3&"+1\$
- 505 LET a\$="T140V1506"+z\$+"04"+y\$+"05 G3d#d"+a\$+1\$+"3&d#d"+a\$+"3&d#d"
- 510 LET b\$=v\$+u\$+v\$+p\$+"8CO4N5b"+v\$+u \$+v\$+p\$+"05N7C3&"+k\$
- 515 LET b\$="V1505"+z\$+"03"+y\$+"04Bb"+ b\$+k\$+"6&"+b\$+"6&"
- 520 LET c\$=t\$+s\$+t\$+n\$+"O3Cgab"+t\$+s\$ +t\$+n\$+"O3N5Cgc&"+j\$
- 525 LET c\$="V15M3N9&&&7&M7O2N5gO3G"+c \$+"ed"+j\$+"3c6&"+c\$+"3c6&"
- 550 LET a\$=a\$+"06N7C5C&"+f\$+"3ge5ge"+ f\$+"5C06C"
- 560 LET b\$=b\$+"05N7E5E&"+e\$+"5&&&"+e\$ +"5E05E"
- 570 LET c\$=c\$+"O3N5Cgc&"+d\$+"5&&&"+d\$ +"gc"
- 600K PLAY a\$, b\$, c\$

Listing 2

- 10 LET z\$="UX20000W0N7f6#g5f3f5#af#d 7f6C5f3f5#CC#gfCF3f5#d3#d5cg8f"
- 20 LET y\$="M39UX15000W0N9f"
- 30 LET x\$="(9&&&&)"

- 40 LET w\$="(O4UX3000W0N5f05UX4500W0C C3C5#D#D3#DDD5DCCC3C5#D3#D5DC7&5# g#g#g3#g5#a#a3#a#a#a5#aCCC3#a5C6C 5&)"
- 50 LET v\$="(5&05UX4500W0aa3a5#a#a3#a #a#a5#aaaa3a5#a3#a5#aa7&5fff3f5gg 3ggg5gaaa3g5a6a5&)"
- 100 LET u\$="UX3000W0N7f6F5#D3#D5CC#D7 fF3&C5C#DF7#C6#C5#D3#D5C#DF6F8&3# D5C#a#g"
- 110 LET t\$="M7V13N3"
- 120 LET s\$="V15N3d"
- 130 LET r\$="V10N1a&"
- 140 LET q\$="03"+t\$+"fM35"+r\$+"a&a&"+s \$+r\$+"a&"+t\$+"#DM35"+r\$+t\$+"#DCM3 5"+r\$+s\$+r\$+t\$+"#DM35"+r\$+t\$+"fM3 5"+r\$+"a&a&"+s\$+r\$+"a&a&a&"+t\$+"C CM35"+r\$+s\$+r\$+t\$+"FM35"+r\$+t\$+"# CM35"+r\$+"a&a&"+s\$+r\$+"a&"+t\$+"#D M35"
- 145 LET q\$=q\$+r\$+t\$+"#DCM35"+r\$+s\$+r\$ +t\$+"FM35"+r\$+t\$+"FM35"+r\$+"a&a&" +s\$+r\$+"a&a&a&UX3000W0N1b&"+r\$+"a &"+s\$+r\$+"a&a&"
- 150 LET p\$="UX3000W0N7&3&#D5C#a#g"
- 160 LET os="UX3000W0N1b&V9"
- 170 LET n\$=o\$+"(a&a&a&)"+o\$+"a&"+o\$+o \$+"a&a&a&"+o\$+"a&"+o\$+"(a&a&a&a& "+o\$+o\$+"a&a&a&a&a&"+o\$+"(a&a&a&a&) "+o\$+"a&"+o\$+o\$+"a&a&a&a&"+o\$+"a&"+ o\$+"(a&a&a&a&)"+o\$+o\$+"a&a&a&a&a&a& "

- 180 LET m\$="M7UX4500WON"
- 190 LET s\$="M35"+s\$
- 200 LET 1\$="UX3000W0(O3M7N3fM35"+r\$+"
 O5"+m\$+"5f"+s\$+r\$+m\$+"3fO3"+t\$+"#
 DM35"+r\$+t\$+"#DCO5"+m\$+"3g"+s\$+m\$
 +"3fO3"+t\$+"#DM35"+r\$+t\$+"fM35"+r
 \$+"05"+m\$+"5f"+s\$+r\$+m\$+"3f5gO3"+
 t\$+"CCM35"+r\$+s\$+r\$+t\$+"FM35"+r\$+
 t\$+"#CM35"+r\$
- 210 LET 1\$=1\$+"05"+m\$+"5#c"+s\$+r\$+m\$+
 "3#cO3"+t\$+"#D05"+m\$+"3#cO3"+t\$+"
 #DC05"+m\$+"3#d03"+t\$+"#M35"+r\$+"05
 "+m\$+"3#d03"+t\$+"FM35"+r\$+"05
 "+m\$+"5f"+s\$+r\$+m\$+"5f3#d03"+t\$+"
 #DC05"+m\$+"3f"+s\$+r\$+"03"+t\$+"#gM
 35"+r\$+"V13)"
- 500 LET a\$="T230M35O5("+z\$+"T115N8&T2 30)(O3"+u\$+")(O5"+z\$+"O3"+p\$+")"+ w\$+"O4"+y\$
- 510 LET b\$="M3506("+z\$+"8&)"+x\$+"04"+ u\$+"(06"+z\$+"04"+p\$+")"+v\$+y\$
- 600 PLAY a\$,b\$,c\$

I hardy need to say that you must type in the programs very carefully to get all the notes right. I hope you enjoy listening to them and with any luck we might see some music from other people in the future.

* + * + * + *

TEACHERS PET SOFTWARE 175 Craigton Road ABERDEEN AB1 7UA

Seftware:

Teachers Pet

Teachers Pet Software have a proven track record in supplying teachers with the software they want for their classrooms. Why not drop us a line and see what's available to help your kids learn.

All our programs are written in Basic and are unprotected, so, if you want to customise to your own childs level...be our guest.

• NEW RELEASE • Teachers Pet Software are pleased to announce the new release of "<u>CLIP ART</u>" files. Designed for use with Desk Top Publishing etc. A must for the "Newsletter" or "Fanzine" publisher.

If you mention FORMAT when you order, for every three programs you buy, you can select a fourth with our compliments.

FORMAT BACK-ISSUES

For readers who have missed past issues of FORMAT. All issues, from Volume 1 Number 1 right up to the latest issue, are available. To order Just quote the Volume number and the Issue number. Price £1.00 per copy.

FORMAT BINDERS

Hardcover binders to protect your valuable magazines. Each will hold 12 issues, easy to insert/remove. Order Code FMB-01 Price £4.25

SPECTRUM SOFTWARE

Supplied on tape for use with any format/size of disc. To use conversion software you must have the original tape copy of the software to be converted. Most conversions require be the latest version of DOS.

ARTCON 48

Converts the 48k OCP ART STUDIO to full DISCIPLE / PLUS D operation, including printer. Order Code FST-02 Price £3.95

TASCON 128

TASWORD 128 for use Converts with or PLUS D. All features DISCIPLE retained, includes amendments for TW2 file converter. Order Code FST-05

TASCON +2

As for	TASCON 128	but converts
TASWORD +2	to dísc.	
Order Code	FST-06	Price £3.95

WRITER 48

Converts the WRITER 48K for use with Please WRITE YOUR ORDER ON A PIECE OF DISCIPLE or PLUS D. Order Code FST-07 Price £3.95

G+DOS 2a

Latest version of the PLUS D system file. Works with ROM version la. Order Code FST-90 Price £3.95

GDOS 3d

Up to date system file for DISCiPLEs with ROM version 3. Includes new should be reported withing 14 days. FORMAT set-up program, far easier to use. Order Code FST-91



HARDWARE

KEYBOARD STICKERS

Spectrum (48k) keyboard stickers to give all the single key keywords. Multi-Colour printed on clear plastic. Order Code ODD-01 Price £1.50

PRINTER LEAD

Top quality parallel printer lead (BBC Standard). 2 meters long. For use with DISCIPLE, PLUS D or SAM. Order Code PPL-01 Price £7.95

SAM Coupé SOFTWARE

NEW DRAGON TILES *NEW* The thinking man's game. Always different, always taxing, the most addictive game so far written for SAM. Supplied on 3.5" disc. (tape soon) Order Code SCD-01 Price £5.95

POSTAGE/PACKING And ORDERING


Price £3.95 Add the following charges, for postage and packing, to your total order.

	UK	OVERSEAS	AIR
Under £10	£1.00	£1.50	£2.50
£10 to £25	£1.50	£2.25	£3.50
Over £25	- £FREE	£3.00	£4,50

PLAIN PAPER, and mark envelope ORDER.

Clearly state Order Code; Title; Quantity required; price & add any postage as above. Remember to quote your membership number or we cant send out your order. Payment in STERLING by Cheque (UK bank), P.O. Euro Cheques or Cash, Make cheques payable to FORMAT Publications. Payment MUST accompany order, do not send by different route.

Goods will be sent out at the same time as the next available issue of FORMAT. Shortages or non-deliver Publications will not be held liable for delays or Price £3.95 non-delivery due to circumstances beyond its control.



INSIDE CHRISTMAS CAROLS

By:- Clyde Bish.

December issue FORMAT In the published my game for Christmas called "Carol Quiz". I left you with the promise that, for the benefit of serious programmers, I would follow it up with an article on how it works and this is part of the result.

Now is your chance to delve into the depths of "Carol Quiz" and hopefully pick up some programming tips and so add to the enjoyment I hope you've had playing it.

I think things will be easier to follow if I go through it block by block. O.K. Get the listing in front of you and off we go.

Line 1 This lowers RAMTOP to leave space for the machine code that will load in later, then jumps over the next few subroutines (which are put at the start to make them run faster) to the program start at line 9.

Line 2 This subroutine scrolls the titles across the screen. It works by setting the FOR/NEXT loop from 1 to the length of the title (preceeded by 32 blanks) then printing sucessive 32 character sections of this title (now also predeeded by 32 blanks) at a position on the screen determined by the row value in variable j and at an INVERSE setting determined by i. So the first time through just 32 blanks are printed. The next time the first blank is missed out and the first character of the title is added, SO appears right of screen. this On subsequent loops more of the title routine starting at 65091 is then appears across the screen. This is a very nice demonstration of Sinclair BASIC string slicing.

Line 3 This line prints rows

routine is called. This is done by clever use of logic. The statement at the start of the line may not seem to make sense but to a computer's logic it does. If z is set to 1 then the statement following the equals sign is untrue and the value of z will be reset to 0. When the program flow PRINT reaches the statement the expression in brackets is true so 2 will be added to the INK number making 4 (i.e. Green). When the subroutine is called again the value of z is still at 0 so the opening logic statement is true and hence z will be set to 1. Now the expression in brackets in the PRINT statement is untrue so zero is added to the INK colour leaving it at 2 (i.e. Red). Although you may have found this difficult to follow I assure you it is worth the trouble. In this case logic has made it possible to use one line to produce two different screen images.

Line 5 This line sets up variable xx which is used to adjust the position of the title print. P\$ is the title string and xs is the horizontal magnification. The bracketed section works out how many pixels are not used up by the title. This is divided by 2 to give equal spacing either side, which can then be adjusted by adding the value in p (which could of course be negative). This value and others set before calling the subroutine are POKEd into memory spaces using the value in i or the t. FOR/NEXT loop. (The 8 and 255 which are POKEd in simply act as markers). A machine code with the left end moving called to PRINT the suitably magnified title onto the screen.

The above three lines are good examples of how the PROCedure command of of BBC and other Basics can be stars which can be made to flash by simulated on the Spectrum by setting changing the ink colour each time the the values of variables then calling a

subroutine which uses them.

Line 9 Now to where the program actually starts! After setting a few variables and screen colours the program starts to load in the data for the Enlarge_Characters machine code mentioned above. This data starts at line 950 (hence the RESTORE) and also contains the data for the user-defined graphics. It is usual to load in machine code bytes which have been saved separately from a tape. This flow the program holds up unnecessarily and can be avoided by the following system. The title screen display requires a background of stars. These are printed randomly on screen using the f FoR/NEXT loop but instead of having a PAUSE to slow this down the time is used to READ five bytes of the machine code and POKE them into memory. In this way the user has no idea that anything (apart from star printing) is happening anđ Crafty! The held. is interest remainder of the line also holds some interesting features. Variables a\$ and b\$ hold graphics blocks which are going to be used repeatedly to produce the "Gothic" script for the title. By declaring these graphics patterns as variables much effort (and time) can be saved. The User-defined graphics (udgs for short) held in variables x\$ and y\$ are also used often. When you enter them you will include colour within characters the control variable. This will make subsequent printing much simpler. But more of that later. At the end of the line the first use for the Enlarge_letters machine code routine can be found. Variable p\$ holds the word to be printed (Its only "arol" as the "C" will have already be displayed in that "Gothic" script. yy means start 24 picel lines from the top, and p means print 32 picels off centre. xs = 4 and ys = 8 will produce letters which are 4 times as wide and 8 times as tall as normal.

Line 50 Here the printing of the title screen is completed in the same way as in line 9 with the word "Quiz".

Line 90 During a short pause more

variables are set. Again this will not be apparent to the user. These later, will be used variables particularly in the DATA lines to produce the carols playing. The first four refer to the lengths of the notes and all use the variable m (already set in line 9) to determine their length. So if m stands for minim c will represent a crochet, which has only half its length hence m/2, and q for quaver, which is only half as long again. Musicians will no doubt by now have worked out that dm and dc stand for dotted minim, with a length of one and half times that of a minim (hence m+c) and dc for dotted crochet (c+q). using this system it is only By necessary to alter the value of one variable, m to alter all the other note values and so speed up or slow the tempo of the piece. By down declaring variables with the initial letter of the note name it is much easier to produce DATA lines direct from the music, rather than have to convert each to a number as is usual with BEEP. The remainder of the line declares variables using a similar system of mnemonics for the pitch of the notes. Using capitals make it easier to see in DATA lines which are pitch values and which are note lengths. So G has a numeric value of 7. FS of course stands for F# and TC for top C.

Line 100 Now back to the screen display. This line changes the PAPER colour of the displayed screen without wiping the screen at the same time (which is what the more usual CLS do.) The n loop makes the would remainder of the line operate 4 times. The i loop causes the paper colour to be altered row by row from the top. Over 1 in the PRINT statement will allow the PAPER and INK colours to be changed without affecting the printing whereas INVERSE 1 causes the INK and PAPER colours to reverse with each loop. Thus after the first loop the printing, which was white on blue us now blue on white. The next loop sets (Another way of back again. it achieving the same effect is to DIMention a string of 704 spaces - the number of character spaces on the

screen - using DIM c\$(704) then simply printing c\$ and not using the i loop, but this does not give such a smooth change.) The end of the line changes the background colcour to cyan using the same OVER 1 system.

Line 110 A graphics line is printed between the title words and bells are hung thereon. As the bells swing from side to side a sequence of chimes are heard. This is achieved by PRINTing AT the same line two different sets of bells and SO achieving simple animation whilst the values for BEEP are READ from the DATA information which ends the line. In this way the alternating animation sequences can be used for all of the tune.

Line 170 Now for the information on how to play. This will scroll in as a series of lines from the right, each one preceeded by "You Know Who"! It uses the subroutine at line 2 (the flow of which has already be described) having first set the variables for print row, inverse and the information message.

Line 175 After resetting the screen colours this line uses the data at the end of it, and transferred to variable t\$ to determine in which columns the holly leaves held in variables xS and y\$ are to be printed: This information is used twice, once for the top and once for the bottom row.

Line 180 This line prints up the using READ and BEEP. However titles of the carols, preceeded by a number. This is done by READing the title of each which appears in the DATA lines starting at line 1000 (hence the start of the loop). The phrase n/500-d reduces the value in the loop variable n to the numbers 1 to 10. See if you can work out how.

Line 200 The latter part of this line uses an empty loop to simulate a PAUSE. You may (and should) ask why not just use PAUSE? The answer is that PAUSE is broken by a key press. An empty 100p ensures that the information stays on screen in spite of accidental key presses. It is a useful programming trick to know. With variable has to be converted to a

the exception of s (the score) you should recognise the variables set at the beginning of the line as being those needed for the Enlarge Letters routine. They are going to be used later but are set now whilst there a natural pause in the program flow. Note that the variable p is set to zero so all messages will be centred on screen.

Line 210 Now at last the game starts! You'll have ten tries so the v loop is set to ten, then a random number is choosen. This has to be between 1 and 10 so the number generated by RND (which will be between 0 and .99999) is multiplied by 10 to give a range of 0 to 9.9999. this INTeger of this lies between 0 and 9 so adding one to this gives the required range, 1 to 10. Line 215 : This value, held in w is used to. RESTORE the start of the DATA to the choosen carol. Theses DATA lines run in increments of 500 starting at line 1000, so if w was say 1 then w*500+500 = 1000 which is the DATA line for the first carol. Check it out. The title is read into a\$ then a random start position in the DATA is selected. If you look at this RND statement you should now be able to work out that the start position will be between 5 and 15 notes into the tune. The n loop rEADs these notes and, in effect discards them. The loop is then reset to the new start position and, given the chance will play the next 30 notes the player should want to interrupt the music with the answer. The IF INKEY\$... allows this to happen. Normally INKEYS will return "" unless a key is pressed. If this happens then the flow jumps out to line 310.

Line 220 If you don't respond before 30 notes are played the program reponds with the "too slow!" message (printed using the Enlarge_Letters routine for which we set the variables in line 200.

Line 310 Here your response (as INKEYS) is compared with the number of the carol being played. This numeric STRing before such a comparison can be of made. If it does not match a flashing rec "Wrong" is printed (also using the the Enlarge_Letters technique) and 15 tap penalty points are added to the score to held in s. the

Line 320 You're correct! The program informs you of the fact (as if you didn't know) with a loop of rising BEEPs and the "Correct"message, again using those parameters set up earlier in the Enlarge_Letters routine.

Line 330 The number of points equal to the number of notes played (n) is added to your score, which is also displayed enlarged. An empty loop (to simulate an unbreakable PAUSE) appears, followed by a loop to print blank lines to remove the messages without disrupting the remainder of the display. (Unlike CLS which would clear the whole screen.) The line ends with the next carol being selected.

Line 349 More screen display variables are set. As in line 9 they also contain colour control characters. How you get these in I'll explain at the end.

Line 350 The end screen is set up, and The score is printed in large letters.

<u>Line 360</u> The score is framed with suitably festive motives.

Line 900 The length values of the notes to be played are set in x and y. Each is then READ and played before the subroutine at line 3 is called (which you will remember causes the stars to flash). To end a message is displayed inviting the player to have another go, the #0 causing it to be PRINTed on the last two screen lines which are usually reserved for The messages. commands and error program restarts from line 175 thus missing out the early title and instruction screens.

<u>Lines 951 - 959</u> These hold the DATA bytes for the Enlarge_Letters machine code which is loaded in during the title screen. (Some "Elder Statesmen"

of the Spectrum fraternity may recognise as an adaptation of one of the routines on their "Horizons" tape.) I won't go into details not as to how it works. Be patient and they'll be an article later covering the many uses that the routine can be put to. Watch this space! These lines also contain the data for the User Defined Graphics which have been used for titles etc.

Lines 1000 - 5500 Herein lies the DATA for the carols. The lower case letters are the note lengths mentioned earlier and the upper case ones are the note pitch. This system makes it easier to see which is which in complex DATA lines. Each tune has its DATA repeated so that wherever the random number generator chooses to begin there will be sufficient DATA.


So now the mysteries are unravelled, and I hope the experience has been useful. I'm sure you'll find many techniques you can use in your own, perhaps more serious programs.

Next time we'll have a closer look in more detail at the Enlarge_Letters machine routine and see what else it can (apart from obviously enlarge letters!) Until then can I leave those beginning writing their own programs with a thought. I'm often asked, "How do you manage to write such long and complex programs?" I hope that have analysed "Carol Quiz" you now know the answer. Programmers don't write long programs. They write lots of short ones and join them together! Be seeing you. 'Bye.



"Damn! I've forgotten the soap again!"

Software for the SAM COUPÉ




Massive capacity filing program. 256K version stores 128K of data - 512K version stores 384K - in continuous memory.

Data is compressed to allow maximum record storage.

Random, rather than fixed, fields for greatest flexibility.

Screen mode 3 used to display records. You define fields on screen wherever you want them, using windows. Line drawing and colours available to enhance the display. Choose from a range of different character sets.





You decide which field is to be used for sorting, and the records are automatically filed in order as you add them. Add, edit, amend, make printed copies.

There is a buffer search facility to help you find the records you want to display.

Includes routines to allow you to convert files from Lerm Address Manager and GM Base for use with SC_FILER.

Comes with a demonstration database which records all the Z80 machine code instructions, their operation, effect on flags, etc.



NOW BOTH PROGRAMS ON ONE DISC, WITH PROFESSIONALLY WRITTEN MANUAL

Powerful 64 col. full screen Editor/ Assembler, using no SAM ROM, 80 compatible with all versions. Disassembler included - Monitor to come in future upgrades. Screen mode 3 uses one of 32 Editor character sets - choose the one you find easiest to read. Recognises the standard opcodes and pseudo-opcodes and 102 undocumented codes. User friendly, Clear error messages - words, not codes. Automatic tabbing, 14-character labels, Hex or decimal input and listing. Search facility. List source code to screen or

printer. Two-pass assembler; with or without listing to screen or printer, displays code start and end addresses and length on pass 1. Source files to get you started. Easy enough for the beginner, sophisticated enough for the expert. Now includes converter to allow Lerm Assembler source code to be used with SC_ASSEMBLER. Still includes the FREE Spectrum Emulator:

£12.50





HE ULTIMATE COPIER & TOOLKIT

DISC-MATE is undoubtably the most advanced Disc COPIER and TOOLKIT package ever available for Plus D or Disciple. This comprehensive and versatile program is in 98% Machine Code, which calls and uses GDOS in a very special way enabling your Drive (or Drives) to operate at INCREDIBLE SPEED during all DISC-MATES powerful functions

COPYING. With DISC-MATE you can now reliably copy in BULK, almost all programs* from ANY disc to ANY disc. This is a quality backage & is amazingly practical & so easy to use. Any Disciple or Plus D user without it is DEFINITELY missing out ... even if they never normally purchase Utility programs !

- with 1 drive specially benefit ... as discs are swapped FAR LESS often than usual.
- FASTER & EASIER COPYING loads as many programs into memory as possible before transfer. This means a BATCH of programs can be copied in a single disc operation. FOR EXAMPLE In 128k mode you can copy TWO 48k snapshots & only need swap discs ONCE. 2 drive users can copy from or to any drive -no need to swap.
- COPY AS MANY FILES AS YOU WANT -After copying one batch of programs Disc Mate will then load and copy the next batch untill all the selected programs are copied. There is NO LIMIT to the number of progs you can copy. You select how many and the order in which they are copied. The unique 2-way scrolling PICK & STORE LIST makes file selection so easy !

- AT LAST. Here is COMPREHENSIVE FILE . COPY TO ANY DISC programs on destination discs are secure, NO over-writing.
 - MULTIPLE COPIES copy the selected programs onto as many discs as you wish.
 - POWERFUL TOOLKIT gives you control over your discs, and offers benefits far in • COMES WITH USER MANUAL-
- OPERATES WITH 1 or 2 DRIVES users INTELLIGENT AUTO-RECOVERY of all erased programs - detects file types, reads sectors used & recovers if at all possible.
 - BLOCK-OUT FAULTY SECTORS make discs more reliable & data far more secure. Gathers all bad sectors and makes them invisible. An IDEAL check after formatting - only takes 40 secs to safeguard a disc !
 - TEST FILE FEATURE traces and maps all tracks/sectors used in any programvisually check for bad distribution.
 - ULTRA FAST SELECTIVE ERASE will erase all selected files in 2 secs max !
 - VIEW SNAP REGISTERS 128K only.
 - ●INTELLIGENT ERROR TRAPPING will report on any errors found, and gives you very helpful alternative options ... such as RENAME, RE-TRY, NEXT, CANCEL. OVERWRITE, OUIT, LOAD, etc.




a very clear, & easy to follow guide, giving many hints and tips. We sent copies of DISC-MATE to several BETTERBYTES Customers for their pre- release evaluations . . . Here is what some of them said :

" Its almost as good as a second drive." C.M. GLASGOW. "With one drive, the fully automatic operation & just an occasional disc swap is a delight. " R.B. NOTTS.

Get Disc-Mate on 14 days trial. Specify if for Disciple or Plus D.

★ NOT SPECIAL FILE SHOTS IN 48K MODE. FILES or SNAP-

LESS BETTERBYTES POST & PACK EXPENSES.



STATE DRIVE TYPE. SIZE BLC. & IF FOR DISCIPLE OR PLUS D. OVERSEAS ORDER ADD 12 DBD PER ITEM